

UMORE




BOLOGNA
CERAMIC WALL TILES




3X12 WALL TILES




BIANCO
UMOBIANBOL312G




SLATE
UMOSLATBOL312G



MOSS
UMOMOSSBOL312G



JUNIPER
UMOJUNIBOL312G



ROSEWOOD
UMOROSEBOL312G




ADMIRAL
UMOADMIBOL312G


HEX MOSAIC TILES




BIANCO
UMOBIANBOLHEXMIX




SLATE
UMOSLATBOLHEXMIX




MOSS
UMOMOSSBOLHEXMIX



JUNIPER
UMOJUNIBOLHEXMIX



ROSEWOOD
UMOROSEBOLHEXMIX




ADMIRAL
UMOADMIBOLHEXMIX

PICKET MOSAIC TILES




BIANCO
UMOBIANBOLPICG



SLATE
UMOSLATBOLPICG



MOSS
UMOMOSSBOLPICG



JUNIPER
UMOJUNIBOLPICG






ROSEWOOD
UMOROSEBOLPICG



ADMIRAL
UMOADMIBOLPICG

SIZES

	Nominal Size	Actual Size	Thickness	Color	Finish	Sq. Ft. / Carton	Pcs / Carton
	3"x12"	3"x12"	0.33"	Bianco, Slate, Moss, Juniper, Rosewood, Admiral	Gloss	12 sqft	48
	10"x11" Hex Mosaic	10.20"x11.30" Sheet 1.5" Chip	0.25"	Bianco, Slate, Moss, Juniper, Rosewood, Admiral	Multi Finish	9.72 sqft	12
	11"x12" Picket Mosaic	11.10"x12.20" Sheet 2"x5" Chip	0.25"	Bianco, Slate, Moss, Juniper, Rosewood, Admiral	Gloss	8.76 sqft	12

PRODUCT INFORMATION

Material	Ceramic
Body Color	Standard
Edge	Pressed
Manufacturing Process	Inkjet
Country of Origin	USA

INSTALLATION

Suggested Grout Line Size	1/8"
Installation Options	3x12/Picket: Wall Only Hex: Floor/Wall
Shade Variation	V1 Uniform Appearance



PERFORMANCE PROPERTIES

Test	Test Standard	Result
Dynamic Coefficient of Friction	ANSI A137.1-2012 AcuTest™ ANSI/NFSI B101.3-2012	n/a
Water Absorption	ASTM C373-16 ISO 10545-3	3"x12": <20% Hex/Picket: <3%
PEI Rating	ASTM C1027-09 or ISO 10545-7 (Glazed); ASTM C1243-93 (2015) or ISO 10545-6 (Unglazed)	n/a
Mohs Scratch Hardness	1:Talc 2:Gypsum 3:Calcite 4:Fluorite 5:Apatite 6:Feldspar 7:Quartz 8:Topaz 9:Corundum 10:Diamond	n/a
Breaking Strength	ASTM C648-04 (2014): ≥275 lbf	n/a
Chemical Resistance	ASTM C650	n/a
Freeze Thaw	ASTM C1026	n/a

APPLICATION

Backsplash	✓	Indoor Wall	✓
Shower Wall	✓	Indoor Floor	✗
Shower Floor	Hex Only	Pool Decking	✗
Submerged (Tub)	✗	Submerged (Pool)	✗
Outdoor	✗	Residential/Commercial Use:	✓

NOTES

Product specifications are subject to variation and tolerances within testing or productions and may vary. Variations in appearance, texture, construction, dimensions, performance, and style may occur and should be considered in product selection.

The product specifications listed reflect data from the manufacturer or from laboratory testing performed under specific testing conditions. As such it does not represent all conditions under which the products may be used or subjected.

For information on performance standards and/or suitability please consult the ANSI, ASTM, or Tile Council of North America resources.

